



TITLE: TEXT PROCESSING AND DISPLAY METHODS AND SYSTEMS

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a 35 U.S.C. § 371 application of PCT/AU00/00286, filed April 5, 2000, which claims priority to Australian Application No. PP 9604, filed April 5, 1999.

STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT

[Not Applicable]

THE NAMES OF PARTIES TO A JOINT RESEARCH AGREEMENT

[Not Applicable]

INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ON A COMPACT DISC

[Not Applicable]

BACKGROUND OF THE INVENTION

TECHNICAL FIELD

(1) Field of the invention

This invention relates to computer-based text processors, text-processing methods, text display means and/or to means for assisting users improve their knowledge of or facility with a written language.

The invention may be applied, for example, to the teaching of writing and/or pronunciation to people learning new languages, to improve the writing skills and comprehension of native speakers and to familiarising native speakers and others with the spelling and pronunciation of technical or unusual terms. It is applicable to languages with alphabetic writing as well as to languages with ideographic writing, such as Chinese, and to languages with phonetic writing systems, such as Japanese Katakana and Harikana. The invention may also be used to teach sign languages, where they can be reproduced in written form.

Terminology

The following defined terms are used in this specification. Some of these definitions,

especially those marked with an asterisk, introduce and partly explain new concepts or processes whose use is further explained in the Outline of the Invention or the Description of Examples below.

5 pictograph: a picture or stylized picture standing for a word or word element (morpheme), or possibly a phrase. Pictographs are a sub-category of logographs.

logograph: a single symbol representing an entire morpheme, word or phrase.

Synonym: logogram. (Note: Most Chinese and Japanese characters contain

10 phonetic elements. Hence they are better described as logographs than as ideographs or ideograms).

ideograph: a symbol standing for a concept and not necessarily for a particular word or word element in a given natural language. (e.g. most mathematical symbols, or

15 the ampersand symbol "&").

morpheme or word element: the smallest meaningful element of a word or word-shape. For instance, the word "unbutton" contains two morphemes: "un" and "button".

20

word-shape: the visual form that a word or a word element or a short closely-connected phrase takes in a given writing-system. Note that in logographic systems it is fairly common for a single character or word-shape to stand for a short phrase like "all right" or "house fly".

25

*common visual marker: any visual sign which can be added to a number of word-shapes or letters or syllabary signs, and which has the same meaning in each case. For instance, a common color or a common diacritical mark might be used to mark all silent letters in a text.

30

writing-system: a coding system or a set of rules for representing in visual form the words and/or text of a language. Such a set of rules need not be logically consistent nor consistently applied nor free from exceptions. In the case of alphabetically-

written languages, a major component of the writing system is the spelling system, which is a set of rules for using the letters. The writing system for representing the standard text of a language is thus referred to as the conventional or standard writing system. There may be non-standard writing systems of a given language that
 5 use non-standard texts, symbols or letters; eg, Pitman's Shorthand for English.

additional phonetic information: phonetic information which either goes beyond or corrects or clarifies that which is supplied or suggested in the conventional writing system or spelling system of a given language.

10

syllabary: a system of phonetic symbols each of which represents an entire syllable. This is contrasted with an alphabet where the symbols (letters) normally represent phonemes.

15 phoneme: one of the set of speech sounds in any given language that serve to distinguish one word from another. Thus /p/ and /b/ are separate phonemes in English because they distinguish such words as "pet" and "bet", whereas the light and dark // sounds in "little" are allophones not separate phonemes since they may be transposed without changing meaning. (Definition as per The Collins Dictionary of
 20 the English Language).

allophone: a major variation within a phoneme. See under phoneme above.

phonetic:

25 1: of or relating to phonetics.

2: denoting any perceptible distinction between one speech sound and another, irrespective of whether the sounds are phonemes or allophones. [Compare phonemic.]

3: conforming to pronunciation. (Collins Dictionary definitions).

30

* display option: any of a set of various writing systems in which a text, and usually some information about its pronunciation, may be displayed, especially on an electric screen. Display options may be differentiated from each other by the writing systems

they employ to identify the words, as well as by the amount or type of additional phonetic information they make visible and the means they use to display or distinguish it. They are not differentiated by merely aesthetic choices, as for instance by font selection, or letter size, or page layout or paragraph style, though they may
 5 have specific default settings for these. Display options are so called because the decision to use one or more of them will normally be at the discretion of the user.

user: the person applying the methods or systems of the invention to a text; sometimes synonymous with "reader", "learner", "writer", or "editor".

10

converter algorithm, converter program or converter: an algorithm or program, associated with a specific display option, that does the following:

1. carries out that display option's characteristic selections from among the additional phonetic information and/or the graphic information that is available for
 15 a given text;
2. usually incorporates and assembles this information into a new version of the text, called processed text which contains all necessary information for a display system to represent that text in a specific display option;
3. upon request, engages the display system and provides it with the relevant
 20 processed text or with the necessary graphic information.

25

* color coding of word shapes: the use of color to indicate those parts or regions of a word shape which are to be processed in a particular way, or to be considered in a particular way, or which correspond to particular parts of another word shape.

* line coding of word shapes: as for color coding, but with the use of different types of line or curve (e.g. thinner/thicker, heavier/lighter, dotted/unbroken, pulsing/non-pulsing) instead of differences of color.

30 pulsing line or pulsing image: a line or curve, or an image or a part of an image which is rendered more conspicuous by its doing any of the following:

1. — repetitively appearing and disappearing (like the cursor on a computer screen),

2. ~~repetitively changing, over part or all of itself, its brightness, its thickness, its color(s) or any other conspicuous visual attribute,~~
3. ~~carrying out such changes, as per the previous Clause, in such a spatial and temporal sequence as to create the illusion of movement (as often seen in~~
5 ~~neon signs), or~~
4. ~~repetitively changing between two or more different forms.~~

cartouche: a line (which may also be a "pulsing line") that encloses or semi-encloses or brackets or otherwise indicates a word or a phrase or an image, or a section of a
10 word or a section of an image. It thus indicates a portion of the text or of a word-shape which is to be processed differently or which is intended to receive different attention from other portions. (In Egyptology a "cartouche" is a shape which surrounds and marks a royal name. Here it is given a wider definition).

- 15 homonym: a word-shape or spelling which has distinct and essentially unrelated meanings. These may or may not be pronounced differently. For instance: "wind", "wound", "read", "lead", "bat", and "cleave".

relevant homonym: a homonym whose ambiguity needs to be resolved before the
20 correct equivalent word-shape for it can be determined in a given alternative writing-system or display-option, or in a range of writing-systems or display-options. (Homonyms can often retain their multiple meanings under an alternative writing-system, in which case they are not "relevant homonyms" for conversion to that writing-system).

25

- * reconversion homonyms: pairs or groups of words or word-shapes which are distinguished from each other in standard text, but which become identical in one or more other writing-systems or display-options. For instance the English words "beer" and "bier" may become indistinguishable in a fully phonetic writing-system. Such
30 words, before being converted from standard text, require to be identified and marked by a reconversion homonym resolver (being an appropriate algorithm or program) in such a way that they can be reliably re-converted to their correct word-shapes.

~~* reconversion homonym resolver: see above.~~

~~relevant homonym filter or homonym filter: an algorithm or computer program that~~
 5 ~~can check the words of a standard text in a given language against a check-list of~~
~~relevant homonyms either for that language or for a given set of display options in~~
~~that language.~~

~~homonym parser: an algorithm or computer program that uses the context and~~
 10 ~~possibly the grammar to determine which meaning a homonym has in a given text~~
~~context.~~

~~non-homophonous homonym or phonemic homonym: a spelling or word-shape~~
~~which changes its phonemic pronunciation according to its meaning. For instance:~~
 15 ~~"wind", "wound", "invalid", "live", "lives". Non-homophonous/phonemic homonyms~~
~~commonly need to be resolved when transferring to a display option or writing-~~
~~system that provides additional phonetic information.~~

~~homophonous homonym: a homonym in which all meanings are pronounced and~~
 20 ~~spelt alike. For instance: "tender," "bat," "cleave".~~

~~*non-homophonous homonym parser or phonetic homonym parser: an algorithm or~~
~~computer program that uses the context and possibly the grammar to determine~~
~~which meaning, and hence which pronunciation, a non-homophonous/phonemic~~
 25 ~~homonym has in a given text context.~~

~~* alternating display: displaying alternately, or in repetitive sequence, the word-~~
~~shapes either of the same word or of the same portion of text, in two or more writing-~~
~~systems or display options. Each version in turn is displayed, but not both at once.~~
 30 ~~The alternation may appear as a fairly rapid flickering and be machine-generated.~~
~~Otherwise, the alternate display of the word or text portion may be requested by the~~
~~user, and either replaces or is superimposed upon the initial display option. This may~~
~~continues until either the user revokes the command or a fixed period has elapsed.~~

In practice, this may mean the user highlighting a given word or phrase then clicking with a pointing device to see either how the word is pronounced or how it looks in a different writing system.

- 5 * inter-leaving: setting closely together (so that they may be compared) two or more word-shapes or versions of the same piece of text in different writing systems or in different display options. Inter-leaving may be done on a line-by-line basis, with lines in different writing systems presented one above the other. The term also covers cases where the two versions appear side-by-side, or otherwise close together.

10

* text-morphing: causing an image of a word, syllable, morpheme or phrase in one writing system or display option to dissolve or mutate into the corresponding image in another display option or writing system. This may be done to help the reader or learner associate the two images (word-shapes) or groups of images, and

- 15 sometimes in such a way as to create a kind of visual memory-trail between the two images via the intermediate stages.

standard letters: the letters used in the dominant alphabetic written form of a language. For instance the 26 letters of the English alphabet.

20

non-standard letters: any other phonemic symbols, including those of other languages or of the International Phonetic Alphabet (IPA). Note: In a case like that of those Slavonic languages, which are sometimes written in Cyrillic and sometimes in Roman alphabets, "non-standard letters" can mean the non-dominant alphabet of a

- 25 given language.

* set of phonetic letter-variants: a set of variants deliberately made in the shapes or appearances of the standard letters of a given language, so that each of the resulting variant shapes of a given standard letter can be allocated to one of the

30 different phonemes or allophones which that letter commonly represents in the conventional spelling of that language. (This can be a device to retain conventional spelling, yet achieve phonetic accuracy).

dialect: a variety of a language whose pronunciation differs frequently at allophonic level and sometimes at phonemic level from other varieties of the same language. The term is not pejorative. Dialects are normally regional in origin. They may be distinguished from styles of pronunciation which often have more to do with social situations, and which may involve a range of registers that are sometimes designated by dictionaries as "formal", "colloquial", "racy", etc.

style of pronunciation: see above, under dialect.

pronouncing dictionary data base: A list of words or word shapes matched with full phonemic information, as commonly found in the pronouncing guides of dictionaries. Additional allophonic information may also be provided.

schwa vowel: the neutral vowel or "murmur vowel" or "obscure vowel", heard in the last syllables of the English words: "fatal", "jewel", "civil", "gallop", "consul".

text: the words of something printed or written; a piece or a portion of a piece of writing that makes some sense.

standard text: text in the form that is normal or conventional for a given language; e.g. alphabetic letters with conventional spelling and punctuation. Note that, in English, both so-called 'British' 'American' spellings (and numerous intermediate 'house spelling styles' of various publishers) can equally be considered as standard text, since the difference between them is minor and rarely troubles the reader. The standard writing system of a language by definition employs standard text and, for English, standard letters.

alphabetic standard text: the common or conventional way of representing a given language in letters (even if it is more commonly written in logographs).

* resolved text: text to which markers have been added so as to resolve those homonyms which might otherwise cause ambiguities and thus impede conversion into enriched or processed text, or which might impede re-conversion to standard text.

~~* enriched text: a version of resolved text to which additional phonetic or semantic information has been added in order to facilitate its conversion into a variety of display options. (Note that the term is not related to the Rich Text Format or RTF provided in some wordprocessing systems). The additional information may be in the form of a number of types of markers added to the text. In this case, different converter programs or converter algorithms may make different selections from among these markers as part of the process of creating processed texts for different display options.~~

10

~~* processed text: a version of a text containing all necessary phonetic and graphic information, as required by a given display system, for displaying that text in a specific display option.~~

15 ~~* graphic information: the specifically graphic (i.e. visual display) information about a text that the text displaying elements of a given system require in order to show that particular text in a given display option. Depending on the given system (and on the symbols used in a given display option) the required graphic information may involve detailed descriptions of logographic or other non-standard symbols and their relative positions; or it may merely require the use of a relatively simple code to identify the symbols and groupings required.~~

~~"pictograph or logograph" or "pictographic or logographic": For brevity, these fixed phrases are used to refer to any and all of the ways in which a single symbol can represent an entire word, word element or phrase. They refer to non-alphabetic writing systems that use any variety or combination of logical, pictorial, phonetic, or symbolic principles or codes to create word shapes; and they include traditional writing systems that are substantially arbitrary or unpredictable.~~

30 **BACKGROUND OF INVENTION and DISCUSSION OF PRIOR ART**

(2) Description of Related Art including information disclosed under 37 CFR 1.97 and 1.98

A major function of any writing-system is to connect its visual code to the spoken

word or the underlying ideas in a systematic manner. While the dominant writing-systems of all major modern languages are at least partly phonetic, few many do not provide sufficient phonemic detail to systematically connect speaking and writing. Similarly Thus, while over 80% of modern Chinese logographs contain phonetic elements, most of the phonetic clues are now too cryptic, out of date or inappropriate for most Chinese speakers. The lack of phonetic clues in English has produced great annoyance and difficulty for very many years. The lexicographer H. W. Fowler in his influential Modern English Usage-Modern English Usage summed up more than a century of debate with the remark that a suitable phonetically-accurate spelling system for English "would be of incalculable value". It is widely recognised that writing-systems that lack predictability tend to produce massive illiteracy and sub-literacy. [Dr Valerie Yule noted (Yule, Valerie Orthographic Factors in Reading: Spelling and Society, PhD Thesis, Monash University, Australia, 1991, p. 10) that while a European high-school student "may read about 50,000 words, a Chinese adult can rarely recognise more than about 4000 logographs."]

Despite the obvious inadequacies of the written form of most languages and the many attempts at reform, few changes have resulted. American-English spelling is only slightly more 'rational' than British-English spelling; and the post[[[-]]-Revolution simplified Chinese characters are no more 'rational' than the traditional, though they can be written more easily. It is evident that the written form of a major language may become entrenched to the point where significant reform is all but impossible. Ironically, the rapidly growing use of wordprocessors with inbuilt dictionaries, spell-checkers and thesauruses only serves to further entrench the traditional 'irrational' written forms of the major languages.

The advent of computer programs that allow words or phrases to be read aloud upon command, certainly help users learn pronunciation and to associate the visual and spoken forms of such words or phrases. [See for example, US patents 5,366,377 to Miller (1994) "Method of manufacturing reading materials to improve reading skills", 5,737,725 to Case (1998) "Method and system for automatically generating new voice files...", and 4,121,051 to Place (1978) "Speech synthesizer".] However, speech-production is a slow process and such programs do not assist users to

visually identify and employ phonetic clues in the text in a manner that facilitates unprompted reading.

US patent 4,443,199 to Sakai (1984) related to a method for teaching the
 5 pronunciation and spelling of words to children in which the words were spelt out by aligning flat tiles of varying shapes and colors, each of which carried a single letter. The letters themselves were not colored but the tiles were sometimes given different colors or shapes to indicate silent letters or particular pronunciations of given letters. Or different-shaped tiles, bearing accurate phonetic information, were inserted
 10 among the misleading letters of the conventional spelling. While a useful learning device for children under the direction of a trained teacher, it was not suited to self-learning and required cumbersome apparatus.

US patent 4,609,357 to Clegg (1986), US patent 4,650,423 to Sprague et al, and US
 15 patent 4,696,492, to Hardin et al (1987) disclose yet more alternative universal phonetic scripts which, like the better known International Phonetic Alphabet (IPA), can be used to write most languages with phonemic accuracy. Like the IPA, however, such scripts are alternative writing systems that are of little help in learning a standard writing system such as English or Chinese.

20

Many proposals have been advanced to allow the traditional Chinese logographs to be keyed into computers using standard (or near-standard) alphanumeric keyboards. Huang (US Patent No. 4,500,872, 1985) proposed a method for representing up to 40,000 Chinese logographs using no more than 6 ASCII characters, the first four
 25 being phonetic. Such a code simplified the problem of storing and ordering the vast amount of graphic information required for Chinese or Japanese logographs. But Huang's system was only one of many closely-competing patents for coding or for improved keyboard-entry or computer-handling of Chinese logographs: cf. US patent Nos. 5,475,767 Du 1995; No. 5,164,900 Bernath 1992; No. 4,505,602 Wong 1985;
 30 No. 4,559,615 Goo et al., 1993; No. 4,096,934 Kirmser et al, 1978; No. 4,698,758 Larsen 1987; No. 5,079,702 Ho, 1992; No. 4,879,653 Shinoto 1989; No. 5,410,306 Ye 1995; No. 5,360,343 Tang 1994; No. 5,257,938 Tien 1993; No. 5,270,927 Sproat, 1993; No. 4,937,745 Carmon 1990; No. 4,484,305 Ho, 1984; and No. 5,047,932

Hseih 1991.

The challenge of converting phonetic Japanese scripts to kanji logographs also attracted such patents as: US patent Nos. 4,777,600 Saito et al 1988 ("Phonetic data to kanji character converter"); No. 5,208,547-863 Sakurai et al, 1993; and Shinoto 1989 listed above. Patent No. 4,679,951 by King et al, 1987 was not restricted to Chinese or Japanese writing-systems, and offered a method for entering "symbolic language texts" via a keyboard code.

- 10 None of these systems offered means for learning standard Chinese logographs by visual association with either the phonetic form or the pictorial form of the logograph in an mnemonically effective manner.

Other US patents of some general interest are: No. 5,689,616 by Li 1997 "Automatic language identification/verification system" and No. 5,529,496 by Barrett, 1996 "Method and device for teaching reading of a foreign language based on Chinese logographs". However, neither relates to user-selected display of alternative writing systems.

20 **OUTLINE BRIEF SUMMARY OF THE INVENTION**

From one aspect, the present invention comprises a text processor for facilitating user familiarisation with the word-shapes of the standard text of a language by enabling a user to select between a plurality of non-standard texts that differ from one another according to the degree to which each incorporates clues to the identity of spoken words that correspond to the word-shapes of the non-standard text.

Where the standard text is alphabetical, the non-standard ~~texts~~ texts may differ from one another according to the degree to which their word-shapes incorporate phonetic clues. Where the standard text is logographic, the non-standard texts may differ from one another according to the degree to which they incorporate pictographic clues. The text processor will normally be computer-based so that the standard and non-standard texts can be displayed on a computer screen or monitor by suitable inputs from the user, operating a computer keyboard, mouse or other input device.

From another aspect, the invention employs computer[[]]-based text display means to facilitate familiarisation with the standard written form of a natural language by allowing a user to selectively display text in any one of a plurality of display modes
 5 that vary incrementally in the degree to which they depart from standard text according to the degree to which phonetic and/or pictographic clues are incorporated therein. The display modes thus form a hierarchy according to the level of phonetic/pictographic explicitness, there being preferably at least three steps in the hierarchy:

- 10 • the standard text mode,
- a transparently phonetic or pictographic mode (which is more predictable or more self[[]]-evident), and
- an intermediate mode which has characteristics of both the transparent and the standard modes.

15 It will usually be desirable to include more than one intermediate mode in the hierarchy, the mode levels other than the 'top' standard language level being called 'lower' levels and the level including the most explicit phonetic or pictographic clues being called the 'bottom' level.

20 In one method of use, the text display means may contain a separate and complete version of the text for each display mode so that the user may switch between them or display them side[[]]-by[[]]-side. In another method, the user may select the number of lower levels required and cause the computer system to generate the desired lower levels from all, or only selected portions, of a passage of standard text.

25 Generation of such lower levels will require the use of a parser routine capable of
 | determining the meaning and pronunciation of a word from its context (eg, e.g. distinguish the two sounds of 'wound' in English). Where the pronunciation of a technical term – such as a medical or biological term with a Latin or Greek root – is required, it may only be necessary to highlight that term in the top level display and
 30 call for its re-display in a selected lower level. It is envisaged that the system will provide the user with the option of alternating between display modes of the selected word or phrase in a pulsing or 'flickering' manner. Finding out how one word or phrase is pronounced will provide the learner with clues to certain more or less

regular phonetic patterns in the writing[[-]]-system and, thus, to the pronunciation of other words and phrases. In any event, these display-options or levels are preferably such that readers can move between them with relatively little investment in learning-time.

5

It is noted that there has been much recent interest in language disambiguation methods in the context of automatic language translation. Such parsing methods and algorithms may be applied in the present invention to perform the parsing functions indicated above. For example, Church et al, in US Patent No. 5,541,836 (1996) disclosed a method for enabling a computer to detect from the context whether, for instance, the word "sentence" means a grammatical unit or a penalty imposed for an offence. ~~Dahlgren~~-Dahlgren et al, in patent No. 5,794,050 in 1998 offered a method for teaching a computer to cope with the multiple ambiguities of natural language yet without leading to the "combinational excess" produced by considering all theoretically possible meanings. Such advances can be used or adapted to provide the means for automatic computerised conversion between alphabetic and pictographic or logographic writing.

From another aspect, the invention also comprises methods whereby the user can be greatly helped in learning to read text in alternative writing-systems by the computer-graphic process (designated as text-morphing) of gradual progressive mutation on a display-screen of the visual image (word-shape) of a given word. ~~This~~By this, together with the electronic display-techniques of inter-leaving and alternation, the user can create trails of visual association that assist readers who are already familiar with one writing-system to associate its word-shapes with the corresponding word-shapes of a different (even a very different) writing-system.

From another aspect the invention includes methods and systems for converting an alphabetic standard text (which means standard letters and conventional spellings) firstly into a resolved text and secondly into a phonetically or pictorially enriched text. In the case of electronic books or voice-recognition software, text may be supplied to users already in resolved or enriched form. The enriched text is then, thirdly, converted into the appropriate processed texts for a series of display[[-]]-options.

These display-options offer various amounts of additional phonetic information, and may display or distinguish it with various degrees of conspicuousness. This can be done for the user's choice of dialect or style of pronunciation.

- 5 The choice of display-option is normally made by the user. Indeed the invention shifts from editors and publishers to users and readers the power to decide in what writing-system a given text shall be encoded and presented. Thus each user who owns or has the use of a computer system can convert their existing skill in reading standard text into a skill at reading other writing[[]]-systems that are significantly
10 different. This can be done at the user/recipient's own pace and choice.

The result is this: users or readers who receive a text can rapidly display it (and can also print it) with the degree of phonetic annotation they prefer. They can carry out this process on the entire text or on the portions they select or on single words. They
15 can also switch the screen display rapidly between two or more writing-systems. Or they may inter-leave the same text in two or more writing systems (or display-options) in any way that makes it easier for them to transfer their reading skills from one writing-system to another. Thus literate adults may become multi-literate in several writing-systems.

20

In the case of alphabetic writing-systems, they can also suppress the phonetic markers so that the text, including amendments or additions, resumes the exact appearance of standard text. This can make private use of user-selected or user-customised writing-systems practical for those creating or re-editing texts that they
25 later intend to distribute.

Methods are also disclosed for maintaining standard letters and conventional spelling while offering full phonemic or allophonic information.

- 30 Once the concept and practice of offering text in multiple display-options is established, several alternative writing-systems become practicable, including ones that are partly or wholly logographic. These may also be highly pictorial. Methods are also disclosed for inter-leaving and combining display-options as a teaching method

either for (1) native-speakers or foreign learners who need to learn traditional logographs, or (2) those who wish to learn newly-invented pictographic or logographic writing-systems.

- 5 It is possible to have the best of both logographic and phonetic/alphabetic writing-systems if the two can be connected or inter-leaved, in some of the ways disclosed below, as alternative display-options for the same text. The inter-leaving of display-options enables a learner to transfer reading skills from alphabetic writing-systems (which are more easily learnt) to logographic writing-systems, whether newly-
10 devised or traditional, which are more visually salient. A valuable bridge to literacy in traditional Chinese or Japanese logographs may be achieved, both for native-speaking children and for foreign learners.

The invention is best presented in a format that makes practical and psychological
15 sense to users, and fits with existing habits. One likely format is similar to that of some existing options in modern word-processing packages. Just as users are at present invited to make their own selection of fonts and font sizes, so they might be invited to select among a range of display-options (ranged under one or more icons) which use differing writing-systems or display varying amounts of phonetic
20 information.

The invention is also, and alternatively, indicated in the claims appended hereto.

DESCRIPTION OF EXAMPLES

- 25 ~~Having portrayed the nature of the invention, particular examples will now be described by way of illustration. In the following description reference will be made to the accompanying drawings, a brief description of the Figures of which follows.~~

Brief Description of Figures BRIEF DESCRIPTION OF THE SEVERAL VIEWS 30 OF THE DRAWINGS

FIGURE 1 is a flow-chart illustrating the process steps of the first example, where the user is relied upon to resolve phonemic homonyms and enriched text is

generated.

FIGURE 2 is a flow chart illustrating the process steps of the first example, where
 processing steps of the second example, where a plurality of different, user[[[]]-
 5 selectable, phonetically-modulated display modes are generated.

FIGURE 3 is a flow chart illustrating the processing steps of the second example,
 where phonemic homonyms are resolved automatically and where a plurality of
 phonetically[[[]]-modulated display modes is generated.

10

FIGURE 4 is a code chart, providing an example of a set of phonetic letter-variants
 suitable for use in the resolution of homonyms in English.

FIGURE 5 is a tabulation illustrating how the same piece of enriched text can be
 15 represented in a gradated set of seven display-options, each successive option
 (a) – (g) providing an increased amount of phonetic information using the
 phonetic letter-variants of Figure 4.

FIGURE 6 is a table illustrating one example of the text-morphing of the Chinese
 20 pronouns "WO", "NI" and "TA" ['me', 'you' and 'him'/'her'/'it'] in successive steps
 (a) – (g) from their alphabetic word-shapes into their logographic shapes.

FIGURE 7 is a table illustrating a second method of text-morphing of the Chinese
 pronouns of Figure 6 in which the text-morphing (which may move in either
 25 direction) extends to the corresponding English word-shapes. In this case, nine
 stages [(a)-(i)] are employed.

FIGURE 8 is a table illustrating a third method of text-morphing of one of the
 Chinese pronouns of Figure 6 employing cartouches.

30

FIGURE 9 illustrates a second method of text-morphing of one of the Chinese
 pronouns of Figure 6 employing similar elements.

FIGURE 10 illustrates a three-step text-morphing process for the Chinese character for 'ant'.

FIGURE 11 illustrates a three-step text-morphing process for the Chinese character for 'mother'.

FIGURE 12 illustrates a four-step text-morphing process for the Chinese character for 'horse'.

FIGURE 13 is a tabulation of the same English text reproduced in each of three alternative writing/spelling systems.

FIGURE 14 is a tabulation showing at (a) a passage of English in standard text, the same passage in the Shaw Alphabet at (b) and the letters of the Shaw Alphabet at (c).

FIGURE 15 is a tabulation of three display-options of part of Lincoln's speech beginning, "Fourscore and seven years ago ...". Each option combines additional phonetic information with legibility and conventional spelling and uses the "allographs" of Figure 4.

DETAILED DESCRIPTION OF THE INVENTION

Terminology

The following defined terms are used in this specification. Some of these definitions, especially those marked with an asterisk, introduce and partly explain new concepts or processes whose use is further explained in the Outline of the Invention or the Description of Examples below.

pictograph: a picture or stylized picture standing for a word or word-element (morpheme), or possibly a phrase. Pictographs are a sub-category of logographs.

logograph: a single symbol representing an entire morpheme, word or phrase.

Synonym: *logogram*. (Note: Most Chinese and Japanese characters contain phonetic elements. Hence they are better described as logographs than as ideographs or ideograms).

ideograph: a symbol standing for a concept and not necessarily for a particular word
 5 or word-element in a given natural language. (e.g. most mathematical symbols, or the ampersand symbol "&").

morpheme or *word-element*: the smallest meaningful element of a word or word-shape. For instance, the word "unbutton" contains two morphemes: "un" and "button".

10 *word-shape*: the visual form that a word or a word-element or a short closely-connected phrase takes in a given writing-system. Note that in logographic systems it is fairly common for a single character or *word-shape* to stand for a short phrase like "all right" or "house fly".

common visual marker: any visual sign which can be added to a number of word-
 15 shapes or letters or syllabary signs, and which has the same meaning in each case. For instance, a common color or a common diacritical mark might be used to mark all silent letters in a text.

writing-system: a coding system or a set of rules for representing in visual form the words and/or text of a language. Such a set of rules need not be logically consistent
 20 nor consistently applied nor free from exceptions. In the case of alphabetically-written languages, a major component of the writing-system is the spelling-system, which is a set of rules for using the letters. The writing system for representing the *standard text* of a language is thus referred to as the conventional or *standard writing-system*. There may be non-standard writing systems of a given language that
 25 use non-standard texts, symbols or letters; eg, Pitman's Shorthand for English.

additional phonetic information: phonetic information which either goes beyond or corrects or clarifies that which is supplied or suggested in the conventional writing-system or spelling-system of a given language.

syllabary: a system of phonetic symbols each of which represents an entire syllable.

This is contrasted with an alphabet where the symbols (letters) normally represent phonemes.

phoneme: one of the set of speech sounds in any given language that serve to distinguish one word from another. Thus /p/ and /b/ are separate phonemes in
 5 English because they distinguish such words as "pet" and "bet", whereas the light and dark /l/ sounds in "little" are allophones not separate phonemes since they may be transposed without changing meaning. (Definition as per The Collins Dictionary of the English Language).

allophone: a major variation within a phoneme. See under phoneme above.

10 phonetic:

1: of or relating to phonetics.

2: denoting any perceptible distinction between one speech sound and another, irrespective of whether the sounds are phonemes or allophones. [Compare phonemic.]

15 3: conforming to pronunciation. (Collins Dictionary definitions).

display-option: any of a set of various writing-systems in which a text, and usually some information about its pronunciation, may be displayed, especially on an electric screen. Display-options may be differentiated from each other by the writing-systems
 20 they employ to identify the words, as well as by the amount or type of additional phonetic information they make visible and the means they use to display or distinguish it. They are not differentiated by merely aesthetic choices, as for instance by font selection, or letter size, or page layout or paragraph style, though they may have specific default settings for these. Display-options are so called because the
 25 decision to use one or more of them will normally be at the discretion of the user.

user: the person applying the methods or systems of the invention to a text; sometimes synonymous with "reader", "learner", "writer", or "editor".

converter algorithm, converter program or converter: an algorithm or program, associated with a specific display-option, that does the following:

carries out that display-option's characteristic selections from among the *additional phonetic information* and/or the *graphic information* that is available for a given text; usually incorporates and assembles this information into a new version of the text, called *processed text* which contains all necessary information for a display-system
 5 to represent that text in a specific display-option;
upon request, engages the display-system and provides it with the relevant processed text or with the necessary graphic information.

color-coding of word shapes: the use of color to indicate those parts or regions of a
 10 word-shape which are to be processed in a particular way, or to be considered in a particular way, or which correspond to particular parts of another word-shape.

line-coding of word shapes: as for color-coding, but with the use of different types of line or curve (e.g. thinner/thicker, heavier/lighter, dotted/unbroken, pulsing/non-pulsing) instead of differences of color.

15 *pulsing line* or *pulsing image*: a line or curve, or an image or a part of an image which is rendered more conspicuous by its doing any of the following:

repetitively appearing and disappearing (like the cursor on a computer screen),
repetitively changing, over part or all of itself, its brightness, its thickness, its color(s)
or any other conspicuous visual attribute,

20 carrying out such changes, as per the previous Clause, in such a spatial and temporal sequence as to create the illusion of movement (as often seen in neon signs), or
repetitively changing between two or more different forms.

25 *cartouche*: a line (which may also be a "pulsing line") that encloses or semi-encloses or brackets or otherwise indicates a word or a phrase or an image, or a section of a word or a section of an image. It thus indicates a portion of the text or of a word-shape which is to be processed differently or which is intended to receive different attention from other portions. (In Egyptology a "cartouche" is a shape which
 30 surrounds and marks a royal name. Here it is given a wider definition).

homonym: a word-shape or spelling which has distinct and essentially unrelated meanings. These may or may not be pronounced differently. For instance: "wind", "wound", "read", "lead", "bat", and "cleave".

relevant homonym: a homonym whose ambiguity needs to be resolved before the
 5 correct equivalent word-shape for it can be determined in a given alternative writing-system or display-option, or in a range of writing-systems or display-options.

(Homonyms can often retain their multiple meanings under an alternative writing-system, in which case they are not "relevant homonyms" for conversion to that writing-system).

10 reconversion homonyms: pairs or groups of words or word-shapes which are distinguished from each other in standard text, but which become identical in one or more other writing-systems or display-options. For instance the English words "beer" and "bier" may become indistinguishable in a fully phonetic writing-system. Such words, before being converted from standard text, require to be identified and
 15 marked by a reconversion homonym resolver (being an appropriate algorithm or program) in such a way that they can be reliably re-converted to their correct word-shapes.

reconversion homonym resolver: see above.

relevant homonym filter or homonym filter: an algorithm or computer program that
 20 can check the words of a standard text in a given language against a check-list of relevant homonyms either for that language or for a given set of display-options in that language.

homonym parser: an algorithm or computer program that uses the context and possibly the grammar to determine which meaning a homonym has in a given text
 25 context.

non-homophonous homonym or phonemic homonym: a spelling or word-shape which changes its phonemic pronunciation according to its meaning. For instance: "wind", "wound", "invalid", "live", "lives". Non-homophonous/phonemic homonyms commonly need to be resolved when transferring to a display-option or writing-

system that provides additional phonetic information.

homophonous homonym: a homonym in which all meanings are pronounced and spelt alike. For instance: "tender", "bat," "cleave".

non-homophonous homonym parser or phonetic homonym parser: an algorithm or
 5 computer program that uses the context and possibly the grammar to determine which meaning, and hence which pronunciation, a non-homophonous/phonemic homonym has in a given text context.

alternating display: displaying alternately, or in repetitive sequence, the word-shapes either of the same word or of the same portion of text, in two or more writing-systems
 10 or display-options. Each version in turn is displayed, but not both at once. The alternation may appear as a fairly rapid flickering and be machine-generated. Otherwise, the alternate display of the word or text portion may be requested by the user, and either replaces or is superimposed upon the initial display-option. This continues until either the user revokes the command or a fixed period has elapsed.
 15 In practice, this may mean the user highlighting a given word or phrase then clicking with a pointing device to see either how the word is pronounced or how it looks in a different writing system.

inter-leaving: setting closely together (so that they may be compared) two or more word-shapes or versions of the same piece of text in different writing-systems or in
 20 different display-options. Inter-leaving may be done on a line-by-line basis, with lines in different writing-systems presented one above the other. The term also covers cases where the two versions appear side-by-side, or otherwise close together.

text-morphing: causing an image of a word, syllable, morpheme or phrase in one writing-system or display-option to dissolve or mutate into the corresponding image
 25 in another display-option or writing-system. This may be done to help the reader or learner associate the two images (word-shapes) or groups of images, and sometimes in such a way as to create a kind of visual memory-trail between the two images via the intermediate stages.

standard letters: the letters used in the dominant alphabetic written form of a

language. For instance the 26 letters of the English alphabet.

non-standard letters: any other phonemic symbols, including those of other languages or of the International Phonetic Alphabet (IPA). Note: In a case like that of those Slavonic languages, which are sometimes written in Cyrillic and sometimes in Roman alphabets, "non-standard letters" can mean the non-dominant alphabet of a given language.

set of phonetic letter-variants: a set of variants deliberately made in the shapes or appearances of the standard letters of a given language, so that each of the resulting variant shapes of a given standard letter can be allocated to one of the different phonemes or allophones which that letter commonly represents in the conventional spelling of that language. (This can be a device to retain conventional spelling, yet achieve phonetic accuracy).

dialect: a variety of a language whose pronunciation differs frequently at allophonic level and sometimes at phonemic level from other varieties of the same language. The term is not pejorative. Dialects are normally regional in origin. They may be distinguished from styles of pronunciation which often have more to do with social situations, and which may involve a range of registers that are sometimes designated by dictionaries as "formal", "colloquial", "racy", etc.

style of pronunciation: see above, under dialect.

pronouncing-dictionary data-base: A list of words or word-shapes matched with full phonemic information, as commonly found in the pronouncing guides of dictionaries. Additional allophonic information may also be provided.

schwa vowel: the neutral vowel or "murmur vowel" or "obscure vowel", heard in the last syllables of the English words: "fatal", "jewel", "civil", "gallop", "consul".

text: the words of something printed or written; a piece or a portion of a piece of writing that makes some sense.

standard text: text in the form that is normal or conventional for a given language; e.g. alphabetic letters with conventional spelling and punctuation. Note that, in

English, both so-called 'British' and 'American' spellings (and numerous intermediate 'house spelling styles' of various publishers) can equally be considered as standard text, since the difference between them is minor and rarely troubles the reader. The *standard writing-system* of a language by definition employs standard text and, for

5 English, *standard letters*.

alphabetic standard text: the common or conventional way of representing a given language in letters (even if it is more commonly written in logographs).

resolved text: text to which markers have been added so as to resolve those homonyms which might otherwise cause ambiguities and thus impede conversion

10 into enriched or processed text, or which might impede re-conversion to standard text.

enriched text: a version of resolved text to which additional phonetic or semantic information has been added in order to facilitate its conversion into a variety of display-options. (Note that the term is not related to the Rich Text Format or RTF

15 provided in some wordprocessing systems). The additional information may be in the form of a number of types of markers added to the text. In this case, different converter-programs or converter-algorithms may make different selections from among these markers as part of the process of creating *processed texts* for different display-options.

20 *processed text*: a version of a text containing all necessary phonetic and graphic information, as required by a given display-system, for displaying that text in a specific display-option.

graphic information: the specifically graphic (i.e. visual-display) information about a text that the text-displaying elements of a given system require in order to show that

25 particular text in a given display-option. Depending on the given system (and on the symbols used in a given display-option) the required graphic information may involve detailed descriptions of logographic or other non-standard symbols and their relative positions; or it may merely require the use of a relatively simple code to identify the symbols and groupings required.

"pictograph or logograph" or "pictographic or logographic": For brevity, these fixed phrases are used to refer to any and all of the ways in which a single symbol can represent an entire word, word-element or phrase. They refer to non-alphabetic writing-systems that use any variety or combination of logical, pictorial, phonetic, or
 5 symbolic principles or codes to create word-shapes; and they include traditional writing-systems that are substantially arbitrary or unpredictable.

Having portrayed the nature of the invention, particular examples will now be described by way of illustration. In the following description reference will be made to
 10 the accompanying drawings, a brief description of the Figures of which follows.

EXAMPLE 1: Broad Alphabetic Methods

Figures 1 to 3 are flow-charts which collectively describe algorithms or computing
 15 programs which (1) convert standard text into resolved text; (2) convert resolved text
 | into enriched text; and (3) prepare a specific version of the the-enriched text (now
 called processed text) which contains all the relevant phonetic information for a
 given display-option.

20 FIGURE 1 shows a set of steps for the production of phonetically enriched text from
 standard text, using user input to resolve any phonemic homonyms. The first two
 steps of FIGURE 1 deal with the resolution of homonyms. Step 1 is the marking of
 reconversion homonyms by a reconversion homonym resolver. This device, though
 not commercially available, may be readily constructed by those skilled in the art.
 25 Standard text is considered as a string of words, each of which is classified,
 according to the information found in a dictionary-style database, as creating or not
 creating ambiguities upon reconversion. Those words like lee/lea or its/it's whose
 reconversion from a more phonetic writing system creates problems of ambiguity are
 identified, and the ambiguity is resolved by adding electronic markers (which need
 30 not be visible upon the screen or in print-outs) which will tell the reconversion
 program which of two or more phonetically identical conventional spellings to use.

(Obviously it is important that the standard text should previously have been checked to ensure that it is accurately spelled, but computer-based spelling checkers are well known in the art.)

5 In the first step of the process of Figure 1, the reversion homonym resolver examines the words of a piece of standard text. It detects reversion homonyms like "lea"\' "lee", "its"\' "it's", "their"\' "they're", and "beer"\' "bier" which may become identical in an alternative display[-]-option. It then adds markers to ensure they can be reconverted automatically and unambiguously to standard text.

10

The reversion homonym resolver may be a free-standing algorithm or program which uses a check[-]-list of reversion homonyms that are relevant to a given language and a given set of display-options. Or the resolver may be collated into the pronouncing[-]-dictionary data-base in such a way that those words in the data-
15 base that are liable to become reversion homonyms carry markers which can be detected and directly incorporated into enriched text by the algorithm or program which (in the second stage) creates enriched text.

When producing alphabetic display-options that provide additional phonetic
20 information, the first step may be entirely omitted if none of the display-options use non-standard letters or alternative spellings.

The second step of the process of Figure 1 is the resolution of non-homophonous homonyms (also referred to as "phonemic homonyms", that is, words spelled alike
25 but pronounced differently). Once again, a dictionary-style database identifies those words whose pronunciation is ambiguous. Resolution by the user is requested and accepted if provided, otherwise the "default resolution" is either to show both phonetic values of the word or to use the determination of a parser algorithm or program that has been held in reserve. An alternative flow[-]-path would pass such
30 homonyms directly to the parser algorithm or program (as in FIGURE 2 or FIGURE 3) and then invite human over-ride.

In the second step the text is passed to a phonemic homonym filter. This checks the text's words against a checklist of relevant homonyms. This checklist is specific to the language in question. It might also be made more narrowly specific to a given writing-system or display-option or dialect or style of pronunciation. However, it is
 5 simpler to use a fuller check-list that detects all potential homonyms for a given language. Resolving all of these then creates a resolved text from which a single enriched text, and thence all the processed texts for the various alphabetic display-options, can reliably be derived.

10 In a system where only alphabetic `display[[-]]`-options are provided, the relevant homonym filter is normally concerned only with phonemic homonyms (also known as non[[-]]-homophonous homonyms) that is, with those ambiguous word-shapes (like English "wind" or "wound") whose pronunciation changes according to their meaning.

15

| Note that in the non-alphabetic display-options, including pictographic or logographic ones, that are dealt with in some of the later claims, homophonous homonyms also become relevant. Hence a different and larger check-list and a different homonym parser, defined earlier as a relevant homonym filter, are required.

20

In some languages non-homophonous homonyms are so rare that it may be satisfactory to simply flag their presence and offer as alternatives the possible phonemic renderings of a given word[[-]]-shape, while perhaps inviting the user to decide between them. In English, however, non[[-]]-homophonous homonyms are
 25 sufficiently common that a parser program or algorithm will normally be required to offer a probable resolution of them.

The parser program resembles those in existing spelling checkers and grammar-checkers in that it uses clues based on context and/or grammar. Human over-ride of
 30 the parser's determination may also be invited, and if provided, incorporated in the resulting resolved text.

Note that a parser for non-homophonous homophones may not be required when the text is input by voice-recognition. Or the author or supplier of electronic text may sort out such homonyms by human agency and supply text in resolved (or even in enriched) form.

5

The resolved text next passes to the last two steps of FIGURE 1. These resembles resemble the computing program (now available on the Internet) that was developed by the American typographer, Edmund Rondthaler and by computing engineer Ed Lias, for electronic conversion of standard text into the American Literacy Council's

10 (ALC's) phonemically-accurate reformed spelling called "American Fonetic". Like Lias's program, the program or algorithm for creating enriched text uses a dictionary-style data-base, similar to the pronouncing[[-]]-guides of major dictionaries. This provides common or most-common modern pronunciations of of words.

15 However, its output is not in reformed spelling but in enriched text. That is, the same standard letters may still occur and in the same order; but electronic markers are added, where needed, to specify which phonemes the letters represent in given words. For instance, in texts in English the letter "a" may need as many as five different markers to specify its various common sounds, as heard in the words

20 "father", "hat", "hate", "final", "head" (in this last example the "a" being silent). These added markers need not be visible on screen or in print-outs.

The next stage of the process is shown in ~~FIGURE 2.~~ FIGURES 2 and 3. Here the resolved and phonetically enriched text passes to a range of display-converters

25 which control the visual display of this phonetically-enriched text and offer a gradated series of displays. In these displays, the phonetic markers in enriched text are converted into visual phonetic markers. Thus the fact that the letter "c" in a given word is "soft" (as in "cell") will be represented by a marker in the enriched text. A given display-option may then present that letter with a visual marker, such as a

30 cedilla.

Each converter corresponds to a given display-option; and, as it converts enriched text to the processed text required by that display-option, it makes its own

characteristic selection from among the electronic markers in enriched text. Those markers which are retained or activated in a given processed text act as signals to the display-system to produce various visual effects. Once again, such converters are not commercially available, but can readily be constructed by those skilled in the art, once their usefulness in this larger system is recognised.

Thus, by the method shown in FIGURE 1 and FIGURE 2, the first stage of the converter need produce only a single new version of phonetically enriched text. (The resulting text[[]]-files might use the extension code PET for "Phonetically Enriched Text"). Texts in this form may be exchanged with other users.

In those display-options that offer fuller or maximum additional phonetic information, visual phonetic markers are produced that correspond to most or all of the electronic markers present in the enriched text. Yet at least one display-option displays none of the phonetic markers added to the enriched text, and hence presents exactly the appearance of standard text.

Thus even text that has been both enriched and then amended by the user can still be displayed or printed as standard text. At the other extreme, at least one display-option shows additional phonetic information to at least full phonemic, and possibly to allophonic level.

An alternative more direct path from resolved to processed text is shown in FIGURE 3. Instead of first creating an enriched text containing all the information that any of the display-options may require, each converter takes directly from a pronouncing-dictionary data[[]]-base only the additional phonetic information required for its own display.

An ingenious alternative path is also possible from enriched text to a range of alphabetic display-options. This path uses the properties of font-sets to dispense with the intermediate processed text. For this purpose, texts are displayed in a set of fonts. The fonts are so designed that some or all of the phonetic letter-variants (a defined term) which appear as different characters in the fonts used to provide full or

maximum additional phonetic information become indistinguishable in other fonts. That is, they appear as the standard letter, without phonetic variations. By switching between an appropriately designed set of fonts, the various converters can produce the range of phonetically modulated display-options from a single stored version of
 5 enriched text. The converters may still be required to set default options for the various display-options and to pre-format the text accordingly.

The writing systems used in the sets of alphabetic display-options that are provided for a given language, will tend to be specific to that language. "Universal" display-
 10 options or writing-systems in which text in any language might be described with full phonemic accuracy are possible, but they may involve an inconveniently large set of phonetic letter-variants.

15 Skilled readers take in familiar alphabetic words at a glance, almost as logographs. Hence it is important that the overall visual outlines of word-shapes should remain similar in most of these display-options. This helps the learner/user transfer from literacy in one display-option or writing-system to literacy in others. The subjective effect, when switching between most alphabetic display-options, should be rather
 20 like that of switching to an unfamiliar type-face.

While each display-option has fixed rules for its selection among phonetic markers, and also a default setting for its visual display of them, there can also be scope for user-selected adjustments to the conspicuousness of the visual phonetic markers. It
 25 is desirable that these should range from visually obvious to relatively inconspicuous and finally invisible.

For instance, in a display-option where the markers consist of diacritical marks, there can be scope for adjusting their size and color. By dimming or switching them to less
 30 conspicuous colors it may be possible to create an indefinite number of visually gradated stages.

This has important uses. For instance, language-learners who have read a chapter of an electronic book in a display-option that provides full and conspicuous phonemic information, may now wish to tone-down the conspicuousness of the visual phonetic markers within that display[[-]]-option in order to check that they can still recognise the word-shapes and remember their pronunciation, even when the phonetic clues are dimmed or de-emphasised and the display is thus returned to something very close to the appearance of standard text.

EXAMPLE 2: Re-converting to standard text

As suggested, it is important that text which has been altered or edited by the user while in a particular display-option can be automatically and unambiguously returned to conventional form. Where this is not the case, users are likely to use the display-option perhaps for reading, but not for editing or revising or composing text. So long as the additional phonetic information is expressed merely by using a set of phonetic letter-variants, automatic re-conversion to standard text remains possible. This may be done either by suppressing the visual expression of the additional phonetic markers or else by providing a program or algorithm to reverse the process of the original text-conversion and to remove the phonetic markers altogether. (The file extension might then be DOC rather than PET).

20

FIGURE 4 is a code chart that shows how conventional spelling may be retained, yet be combined with a set of phonetic letter-variants that offer a full phonemic description of the common pronunciations of English words. It offers sufficient variants of each letter to allocate one variant for each of the phonemes which that letter represents in standard text. Up to four "anomalous" variants of each vowel letter are used to cover erratic uses, like the "l" -sound of the letter "o" in "women".

[The rights for artwork and design of FIGURES 4-13 belong to Mr Peter Burns of Townsville, who produced them at the request ~~as the request~~ of the inventor.]

Consonant letter-variants (for a given standard letter) appear on the Code Chart in the following order: cardinal values, mutes (shown in shadow imprint font), and variants. Vowel letter-variants are listed in the following order: "cardinal" (e.g. *pæt*, *pāt*, *pet*, *pit*, *pot*, *putt*); "mute", shown in shadow imprint; "regressive" (regressing towards schwa, as in *above*, *below*, *candid*, *conceit*, *superb*) shown in low bold font

with dieresis; "burred" (as in *fern, bird, colonel, turn*) shown in fine italics with dieresis; "name values" (i.e. having the sound of the vowel[-]-letter's English name, as in: *fate, feet, fight, vote, mute*); "continental or Italian values" (as in: ~~fast~~, in: *fast, fete, police, fought, lute*); "erratic pure vowel variants" (as in: *yacht, pretty, lingerie, blood, food, foot, women, put, busy, bury*); "quasi-consonantals, including rhotics" (like the "u" in *suede*); and finally "residual diphthongs".

Display-options using alternative spelling-systems and/or non-standard letters still permit of automatic re-conversion, though attention is required, as explained above, to the problem of words which become reconversion homonyms in the new spelling-system. Even when amendments to the text are entered via the keyboard, they may still be typed in conventional letters and spelling, and continuously submitted to the converters for conversion into resolved, enriched and processed text and thence integrated into whichever display-option the user is currently using. Where relevant homonyms are keyed in by the user, a program may invite the user to resolve them, much as currently happens in some wordprocessing programs when the user keys in a problematic spelling. If amendments are added by voice-recognition, the process is even simpler, since the text may in effect arrive in enriched form. Thus even when the keyboard skills of a given user confine them to entering text in standard form, they will still be able to view the resulting amended text in the writing-system that best suits them. They may also be offered the option of hearing it read aloud, though this is usually a slower process.

EXAMPLE 3: Dialects

The user can be offered a choice of regional pronouncing-dictionary data-bases. In the case of English, the most obvious two would be based on the major North American and on the major British dictionaries; but other possibilities include Indian, Australian, Scottish, and Irish. Within each of these, different styles of pronunciation (ceremonial, formal, colloquial) might also be offered.

30

For simplicity, the claims refer to selecting among several such pronouncing-dictionary data-bases for different dialects. Yet it may not be necessary to maintain them as fully separate. Markers can be added within a single data-base to indicate

which among the alternative pronunciations of a word is most favored in a given dialect area or style of pronunciation. For instance, if the user has chosen "Southern British" and the data-base is then queried as to the pronunciation of the words "missile" or "hostile", markers will enable the converter program or algorithm to
 5 select the variant in which the second syllable is pronounced long (to rhyme with "style") rather than short. Note that only a minority of words change phonemic pronunciation when the dialect changes. (Otherwise we would be dealing with a change of language, not of dialect).

10 The list of relevant homonyms for reconversion to standard text may need to alter slightly according to the range of dialects or styles of pronunciation which are offered, or which the user-selects selects.

EXAMPLE 4: Alternative Spelling-Systems

15 Alternative spelling-systems involve changes to word-shapes, yet the text may remain recognisable. Motivated readers of phonetic spellings of English or French sometimes claim they can achieve satisfactory reading speeds within a day or so, though others take longer. These display-options are, initially at least, most likely to be used by language learners and by beginners in literacy. For them, means of
 20 making a smooth transition to standard text will be important, and may include the inter-leaving of a standard-text display-option. Other adult users may at first be restricted to reformed-spelling enthusiasts. For them it may be essential that texts they create or edit in this form can be readily returned to standard text.

25 The American Literacy Council provides a program which translates, in both directions, between "American Fonetic Spelling" and standard text. It incorporates a simple homonym-parser program to decide between alternative pronunciations of non-homophonous homonyms like *wind*, *wound*, *bow*, *row*, *invalid*, *live*, *lives*. This is based on noting the surrounding words, and is said to be about 80% successful.
 30 Spell checkers may of course be provided for these alternative spelling-systems.

Alternative spelling-systems and their display-options need not be designed purely for phonetic accuracy. Visual saliency may instead be the issue. Long words may,

for instance, be abbreviated to make text shorter and easier to scan. The reader who needs to see a full phonetic rendition of such words may then be required to slow-flicker them into another display-option.

5 **EXAMPLE 5: Phonetic Letter Variants**

However, the writing-systems that are likely initially to have most popular appeal are those that can offer additional phonetic information while retaining conventional spelling. This involves using a set of phonetic letter-variants, examples of which are depicted in- FIGURES 4, 5, 15. FIGURE 5 shows how the code table of phonetic letter-variants displayed in FIGURE 4 can be used to produce a set of set-of-seven display-options that show an incremental range of additional phonetic information. The display-options range from one in which all additional phonetic detail is suppressed (producing the appearance of standard text) to one in which full phonemic and even allophonic detail are provided. In display-option (a) no word-
 10 shapes are changed from standard text. In display-option (b), designed for advanced literates, only difficult proper names or place names are changed, while "gill" in the sense of a liquid measure has its soft "g"[[ɪ]]-sound indicated. (The user is presumed to need no help with "gill", the fish's organ, which has a hard "g"-sound). In display-option (c), words whose pronunciation might trouble an advanced learner of English
 15 are clarified. For instance, it shows that the "ss" in "scissors" is a-typically pronounced as "z". It also shows the difference between "gibber" (as in "gibber plain" with a hard "g") and its other meaning (with either pronunciation of the "g"). Display-option (d) marks with a dieresis those vowels which in everyday speech are liable to regress to, or towards, the schwa vowel. At the other extreme of the range, display-
 20 option (f) provides full phonemic information; and the final version, (g), provides allophonic information of the sort commonly required by foreign learners, but not by native speakers. It shows, for instance, that the "p" in "examples" is not aspirated, but the "p" in "pie" is.

30 A particular problem with the representation of vowel phonemes in English is that the language has a strong stress-accent, and the vowels in unaccented syllables are commonly "slurred" to the schwa vowel. Yet when the vowel-letters in most unstressed syllables are replaced by a symbol for the schwa vowel, the visual

disruption (for those who are used to standard text) is considerable. As well, some people refuse to accept that so many of the vowels they produce are commonly or correctly reduced to the schwa vowel. Further, there is often genuine doubt. Is the first vowel of ~~convention~~ as convention as fully slurred to schwa as the last vowel? Must, or should, the second vowels or second syllables of *hyper-* and *hypo-*, be considered identical schwa-vowels.

A solution to this otherwise-unresolvable argument is ~~offered~~ offered by the writing-system depicted in FIGURES 4, 5, 15. The method is to retain the original letter(s) for all vowel-sounds which either have regressed to, or else are regressing towards the schwa vowel, but to identify such letters by a common visual marker, for instance a common color. Thus both phonetician (or learner) and purist (or etymologist) can be satisfied. If schwa vowels are indicated in English, it is normally unnecessary to mark stressed and unstressed syllables, though this may be done as well. If this is desired, appropriate phonetic markers can be incorporated in the pronouncing[[-]]-dictionary data-bases and in the enriched text. With the schwa problem solved, it is possible to design a writing[[-]]-system that provides full phonemic information, yet can retain conventional spelling with all its possible aesthetic or historical values. See FIGURES 4 and 5.

20

Color alone can in theory be used to produce a sufficient set of phonetic letter[[-]]-variants. This has not previously been proposed as a writing[[-]]-system for adults. However, Caleb Gattegno's "Words In Colour" teaching method was widely trialed in the 1960s. (It was not patented). Gattegno advocated teaching small children to read with simplified standard texts. Most of the materials were in black and white, but classrooms were furnished with wall-charts called "Fidels" on which sample words were provided in conventional letters and spelling but with the colors used as a further guide to pronunciation. About 50 English phonemes were distinguished by using the same number of different colors for the letters on these charts. "Visual dictation" involved the teacher's pointer indicating words on these charts. The class then chanted these words aloud to form simple sentences. Dr Yule reports that Gattegno's teaching method slipped out of use in the 1970s largely because it had "too many colors". A further problem for any more general use of such a writing-

system (which, however, Gattegno did not advocate) is that most literate adults would not want to face such a rainbow-like range of colors on every page. Because Gattegno's method was not designed for electronic display nor for display-options nor for use by adults, it is not specifically excluded from the Claims. The

5 Claims list "color" among a long list of visual markers that may be used to form phonetic letter-variants. If a display-option is provided that uses a set of phonetic letter-variants based purely on color, it should include provision for the user to render the colors less conspicuous, much as when the color setting on a TV is adjusted towards monochrome. Similarly, the colors need not be used when printing out the

10 text.

| A writing-system that is better suited to adult use is set out in FIGURES 4, 5. It relies on shape rather than color to distinguish phonetic letter-variants. (See FIGURE 4). It may use, as in FIGURE 15, a (much smaller) range of colors which are therefore

15 much easier to contrast and distinguish. (Note that owing to the restriction that prohibits color in Figures, FIGURE 15 is submitted as a black and white photocopy. However the letters that appear to be in various shades of fainter ink are in fact intended by the inventor to be in various colors.) These colors are used not to constitute individual phonetic letter-variants but as common visual markers to

20 indicate broad phonetic categories. For instance, all silent letters can be marked in a given color, all "cardinal-value" letters in another color, and all "wild" letters in another.

FIGURE 15 shows the use of color to combine additional phonetic information with

25 legibility and conventional spelling. The phonetic letter-variants (also known as "allographs") are essentially as in Figure 4, but color is also used as a common visual marker for broader categories. The three versions or levels correspond roughly to the second, fourth and seventh versions in Figure 5. In the first version, colors are used as common visual markers which apportion letters to three

30 categories: cardinal values, mute, and other values. Since "other values" include the schwa vowel which is found in most unstressed unsyllablelessyllables, the red color tends to dominate, warning the foreign learner how few letters are to be taken at face value when pronouncing English words. The second and third versions use

additional colors and phonetic letter-variants to make more subtle phonemic, and in the third version allophonic, distinctions.

The heavy use of color in all three display-options may strike those who are already
 5 literate as garish and excessive, but it is likely to be what learners will prefer. (An
 | advantage of user-selected display-options is that one doesn't have to please
 everyone). The user should be given the option of adjusting the colors towards
 monochrome, or of printing in monochrome or standard text.

10 A proposed alternative display-option or writing-system or teaching method that has
 advantages for text in English and possibly other languages, is one that does use
 colors as phoneme[[-]]-markers, but only or mainly for the (19 or so) vowel-
 phonemes, since few of the consonant letters cause major confusion for learners.
 This is a more practicable number of colors to distinguish. The number of colors, and
 15 the amount of color on the page, may be further reduced by not using color for
 vowels used with their most common value, or by substituting other common visual
 markers (such as line-quality or italics or diacritics) for these and other general
 categories, such as letters representing the schwa/regressive vowel. To further help
 the learner or user remember which colors correspond to which vowel[[-]]-sounds,
 20 mnemonic pictures may be provided. The pictures may also be associated with pairs
 of rhyme[[-]]-words, such as: *green scene, black sack, gray clay, red bed, feared*
 | *beard, gold fold, brown gown, etc. gown, etc.* Sets of phonetic letter-variants need
 not necessarily serve to retain conventional spelling. They may also be used to
 eliminate two-letter combinations, like English TH and CH, or to permit a fully logical
 25 phonemically-accurate spelling based on one-symbol-per-phoneme.

Note that a writing-system is commonly described as phonemically accurate or as
 "highly phonetic" even if the pronunciations suggested by the spelling are not the
 only nor necessarily the most common ones in use. This is the case with alphabetic
 30 standard text in most languages. In particular, an otherwise accurate spelling system
 may choose to represent fuller or more formal pronunciations than are commonly
 heard in rapid speech. It may use *and*, for instance, rather than *'nd* or *'n*. An
 advantage of proceeding thus is that written text can be divided into a number of

separate modules (the written words), each of which tends to have a single invariant word-shape. This invariant image facilitates both swift reading, sometimes called sight-reading, and automatic conversion into alternative writing[[-]]-systems.

5 **EXAMPLE 6: Allophones**

Since native-speakers are already familiar with the phonemes of their language, they normally need only basic phonemic information in order to pronounce a new word. However, the foreign learner also needs allophonic (sub-phonemic) information; and this level of information is normally provided by language-teaching text-books. A
10 display[[-]]-option that shows allophonic variants may also be useful for those wishing to write either in, or about, a specific dialect.

To provide a display-option offering this level of phonetic clarity it is necessary to have a trained phonetician insert some additional markers in the pronouncing-
15 dictionary data[[-]]-base. It may also require the use either of some additional variant shapes for certain letters or else of one or more diacritical marks or other markers to indicate the allophonic variants of a given letter. Some or most of such markers may be common visual markers in that they consistently represent certain broad categories of phonetic change that tend to create allophones. For many languages
20 these categories will include: voicing, de-voicing, aspirating, de-aspirating, lip-rounding, de-rounding, palatalising, etc. The addition of allophonic detail normally provides no obstacle to automatic re-conversion of the text to standard alphabetic form.

25 **EXAMPLE 7: Idiolects.**

A possible display-option is one which shows the phonemes (or even the allophones) used in a specific spoken performance of a text.

Someone learning a language may need to match the text, as displayed in a given
30 display-option, to the precise phonemes they are hearing in a specific spoken performance of the text. To prepare text for such a display-option is not straightforward. In some languages, for instance in English, there is considerable latitude for speakers to decide whether certain words should be "slurred". Slurring

may mean that syllables are dropped or that the schwa vowel replaces the vowel used in more formal pronunciations. For instance many speakers regularly slur "February" to "Febry" and "gradually" to "grajily". Such a display-option cannot be prepared by automatic computer-conversion from standard written text. Instead it might be supplied by appropriate voice-recognition software. Or, in the case of educational material, it may be pre-prepared by a phonetician who has listened to the speech-performance in question. Or the speaker may simply take care to pronounce the words as they will be represented in the display-option.

10 **EXAMPLE 8: Summary of Alphabetic Possibilities**

The number and range of alphabetic display[[-]]-options which will prove useful for texts of a given language depends largely on how full is the phonetic information already provided by standard text. Apart from languages like English and Danish whose conventional spelling is often unphonetic, there are languages like French or modern Greek whose conventional spelling fairly accurately indicates pronunciation yet contains additional details or silent letters that are not predictable from the spoken language.

In the case of alphabetic Chinese, the official Roman-alphabet transcription called Pinyin is too recent to have acquired significant spelling irregularities. Though not perfect, it offers such adequate phonetic information for the Mandarin dialect that the only obvious phonetic enrichment is the addition of intonation markers to indicate the four tones of this dialect. Further alphabetic display-options, at least for Mandarin, might not involve additional phonetic information. Instead they might offer additional semantic information, as described below. By contrast, there is large scope for display-options offering phonetic representations of the other major Chinese dialects. Some of these are more truly separate languages. Some have additional tones, and all show many phonemic as well as allophonic changes. Yet all use the same traditional *hanzi* logographs (though usually in the somewhat simplified forms introduced by the mainland Chinese government after World War II). This means that, at least in formal writing, the word-order tends to be the same. Hence automatic conversion-conversion is possible (by straightforward use of a dictionary-style database and without true language-translation) ~~from *hanzi* from~~ *hanzi* logographs into

alphabetic or partly alphabetic display-options that are phonetically accurate for a given dialect. (An alternative alphabetic display-option ~~indicating~~ indicating the Mandarin-dialect pronunciation can, if desired, be interleaved).

5 Such phonetic writing-systems for Chinese dialects can be extremely useful, especially when combined with the methods described below for disambiguating Chinese alphabetic standard text and thus allowing it to compete with *hanzi* logographs as a fully adequate representation of Chinese texts. The phonetic representations of particular Chinese dialects can be produced by essentially the
10 same systems as were previously described for selecting a given dialect or style of pronunciation in any other alphabetic language. A modification is that the appropriate dictionary-style data~~[[]]~~-base for a given dialect would preferably match not the Pinyin alphabetic word-shapes (which are highly ambiguous) but the traditional *hanzi* logographs to particular dialectal ~~pronunciations~~ pronunciations and their (phonetic)
15 alphabetic word~~[[]]~~-shapes. Finally, there is the bolder option of introducing non-conventional alphabets and non~~[[]]~~-conventional spelling systems.

FIGURE 13 shows the same English text in (a) Standard Text, (b) "Cut Spelling", and (c) "American Fonetic Spelling". These versions were automatically generated
20 from standard text by converter programs. Conversion into Cut Spelling has been made with Alan Mole's BTRSPL program. Note that the two reformed spellings are notably more economical in space and therefore probably (for those once habituated to their word-shapes) in visual saliency. They are also clearly far easier to learn and to spell with confidence, since each of them follows a few clear spelling rules. The
25 introduction of such "improved" systems has been almost impossible so long as it was a matter of persuading the whole of society to switch to a new writing system. However the concept of offering the user a free choice among alternative systems has the potential not merely to aid the learner but to create a swing of public preference towards systems found to be briefer or easier.

30

FIGURE 14 shows a further possibility: the introduction via individual choice, of alternative writing systems that, while not very similar to standard text, -are briefer or ~~more~~ more visually salient. At (a) it shows a passage of English in standard text, the

same passage in the Shaw Alphabet at (b) and the letters of the Shaw Alphabet at (c). ~~An Alternative Alphabet for English. Two versions of a text are set out for comparison. The first is in standard form. The second, printed in the same number of lines, combines non-standard letters and non-conventional (phonetic) spelling. The script is Kingsley Reade's Shaw Alphabet, which provides one letter per English phoneme. Note that the outlines of its letters are much simpler than those of standard letters. This allows the text to be printed in less space yet seem (to the experienced eye) more salient. The Reade Alphabet, which is public property under the terms of Bernard Shaw's will, predates yet can be readily adapted to electronic~~
 10 display-options. It is set out below, matched to a list of English phonemes (viz. the sounds represented by the letters in bold print in the short English words).

EXAMPLE 9: Display-options offering non-alphabetic writing-systems

Once some users have become used to escaping the strait-jacket of alphabetic
 15 standard text, they may wish the display-options to include other optional writing-systems. Some of these display[[-]]-options may be non-alphabetic or non-phonetic but more visually salient. Or they may be hybrid, part-alphabetic systems. The possibility of users choosing to learn (initially for their own private purposes) these additional writing-systems would depend largely on the provision of teaching
 20 methods or self[[-]]-teaching methods such as alternating display, inter-leaving and various types of text-morphing.

As mentioned, the skilled reader takes in alphabetic word-shapes at a glance, almost as logographs. Yet strings of letters do not make very salient logographs. They have,
 25 on the page, "all the charm of Morse Code". Hence there could be advantage in offering additional display-options (or writing-systems) in which some alphabetic words are replaced by pictographic or logographic symbols that are more visually salient. Few users would attempt an immediate transfer to a full-scale symbol-writing system like C.K. Bliss's Bliss Symbols; but the idea becomes much more practical if
 30 the symbols are introduced piecemeal via a series of user-selected display-options.
 | ~~For instance~~ For instance a display-option in which such common words as "the" and "a" and "who" and "which" automatically convert into more visually salient symbols need pose only a momentary obstacle to readers. Thereafter it makes text

easier to scan because the eye can more easily pick out where most of the nouns are and also where the relative clauses begin. Further slight changes of this sort might again produce advantages in legibility that individual users might find outweigh the initial strangeness.

5

A form of inter-leaving that might be useful in such a such hybrid writing-systems is one in which the new symbol/logograph, for a period selected by the user, appears beside rather than in place of its alphabetic equivalent. Enthusiasts might then wish to progress by stages to the mastery of a display-option in which only relatively
 10 uncommon words are represented alphabetically. The use of colors, or of other common visual markers, so that all the symbols for a given part of speech share a common color or other common visual quality, might also make it easier for readers to progress in such hybrid systems. Prose style might also be helped. For instance, if all the logographs for oppositional conjunctions (such as *but*, *however*, *though*,
 15 *although*, *yet*) share a common color, and if this color is different from that used for non-oppositional conjunctions, the eye can see at a glance the grammatical patterns marked by these conjunctions. Purely alphabetic texts can also, of course, benefit by display-options which use color-coding or other common visual markers to distinguish the parts of speech and to clarify the syntactic flow of a piece of text.

20

A graphics program that converted all English words into different stylised picture-symbols or logographs might be cumbersome; but it is certainly possible for the average personal computer to run a program that provides symbols for a few hundred of the most common words in a given language, and that reliably returns
 25 them to standard text when the text is to be printed or sent to another user. Note that Japanese newspapers and publications have long used a mixture of logographs and phonetic scripts.

EXAMPLE 10: Resolved Text for Logographs.

30 Existing word-processing programs often supply a range of symbols, some of which might be adopted as logographs. However, full-scale pictographic or logographic display-options require more elaborate display-converter programs. These, when bridging from an alphabetic writing-system towards a non-alphabetic writing-system,

should preferably take their input (on the alphabetic side) from the resolved or enriched form of the text, since this form will have already resolved the problems of non-homophonous homonyms like *bow/bow*, *row/row*, *wound/wound* without losing the distinction between such (visually-different) reconversion homonyms as *lore/law*, *court/caught* and *threw/through*. However, as set out in some of the Claims, they may also need either a parser or skilled human input to resolve an additional number of homophonous homonyms.

EXAMPLE 11: Text-morphing

- 10 Text-morphing offers an important bridge from alphabetic display[[-]]-options to traditional logographs. Computer graphics now make it possible to begin with either a phonetically predictable word[[-]]-shape or a pictographic image that clearly suggests a given word, and then to mutate that word[[-]]-shape or image by degrees into the traditional visual representation of that word in any writing-system. Different display-options may be inter-leaved to help the learner/user associate the word[[-]]-shapes of the same text in different writing-systems. Or individual word-shapes or small groups of them may be flickered, slow-flickered or text-morphed to the same end. The use of colors, and the color-coding of different parts of word-shapes, can also help greatly in creating either visual associations or a visual memory trail (involving intermediate shapes) between two seemingly unrelated images. As well, the process of text-morphing need not be one-way. It may reverse. A word[[-]]-shape may also be made to alternate or (more rapidly) to flicker back and forth between two states.
- 25 Triple and multiple inter-leaving can be a powerful teaching method for language-learning. For instance students of Japanese may wish to read texts while seeing simultaneously the traditional writing (which is largely *kanji* logographs) plus a phonetic rendering plus a translation. They can thus see form, pronunciation and meaning at once.

30

FIGURE 6 shows the text-morphing of the Chinese pronouns "WO", "NI" and "TA" from their alphabetic word-shapes into their logographic shapes. Each column reads from the top down. The third row gives the Pinyin alphabet word-shapes plus

standard intonation marks. If a smooth transition is desired, more intermediate shapes would be required, but the principle is clearly exemplified.

FIGURE 7 shows an alternative method of text-morphing of the Chinese pronouns of
 5 Figure 6 in which the text-morphing (which may move in either direction) extends to the corresponding English word-shapes (first row). Note how line-coding (thinner lines) draws attention to certain elements in the changing shapes.

As Figure 6 shows, while the text-morphing process should take advantage of any
 10 pre[[-]]-existing similarities between the two word-shapes, it does not depend on such similarities existing. Any word-shape can be mutated into any other word-shape with some appearance of continuity, even if only by changing it over section by section, or by dimming one set of lines while strengthening another. However, the visual memory path between the two shapes will be more easily memorised if the
 15 user is able to focus upon elements which remain the same or similar during the text-morphing process. [cf. FIGURES 7-9.] All these visual processes will usually be more effective educationally when at least partially under the control of the learner or user. Such methods can also be used in interactive teaching programs, as indicated in several of the later Claims.

20

EXAMPLE 12: Code

To handle logographic writing-systems a computer program needs some code to label the logographs. The conventional spellings of standard text would provide one such alphabetic code, with perhaps some additional ASCII characters required to
 25 distinguish homophonous homonyms. Once pictographs or logographs are stored by the computer in a given code, automatic re-conversion to alphabetic form (and to conventional spelling for those languages where such spelling exists) is straightforward via a dictionary-style data-base.

30 EXAMPLE 13: International Pictographs and Traditional Logographs

Traditional logographic systems are very restrictive. Their arbitrary nature makes them hard to memorise, leading to written vocabularies as small as 4000 words. Yet the history of China, Japan and (in part) Korea, shows that humans have been

prepared to make very large sacrifices in order to have logographic writing-systems that can link languages and dialects. Today the need for internationally comprehensible signage and communication exerts a similar pressure on all languages. The use of icons is growing. Logographic writing-systems may be the way of the future. Yet they are so poor at providing crucial phonetic information that any newly-designed logographic system needs, in practice, to lean upon a phonetic alphabet or syllabary. Display-options provide a practical means for it to do so.

One proposed display-option involves the creation, for a given language, of a new set of pictographs each corresponding to one of the traditional logographs, and clearly suggesting its meaning. Such a set of pictographs is far easier to learn and to remember than the traditional logographs. Text-morphing can then create paths from it to the traditional logographs. See FIGURES 10, 11, 12.

FIGURE 8 shows a third method of text-morphing one of the Chinese pronouns of Figure 6 employing cartouches. The cartouche draws attention to an element that remains similar during the transition. It thus helps to create a memory trail between the two unrelated word-shapes. Note also how the shaped cartouche draws attention to the rotation of the element inside it. FIGURE 9 illustrates a further method of text-morphing one of the Chinese pronouns shown in the third column of Figure 6. Note how the substitution of a capital T for the lower-case "t" in the word "TA" creates a point of similarity with the corresponding traditional logograph, which is then exploited in the text-morphing process. FIGURES 10-12 offer three examples of how a self-explanatory pictograph can be simultaneously designed to suggest, or to readily text-morph into, a corresponding non-pictorial logograph. (The "horse" example may re-enact the historical process by which the Chinese logograph evolved from an early pictograph). Note how both the pictograph and the largely arbitrary logograph for "mother" can be simultaneously visible. This is a form of "slow flickering" or alternation as the term is defined above.

30

In fact an invented pictograph can always be so designed as to contain one element that is reminiscent of a given logograph, and the points of resemblance can be color-coded or line-coded to draw attention to them. Thus even when looking at

the pictograph in its original form, the learner can know which elements to concentrate upon. [cf. FIGURES 10-12] For instance, a picture-symbol that is a stylised line-drawing of a bird might need to text-morph into an arbitrary conventional logograph for "bird" that looks quite ~~unbird-like~~un-birdlike. Yet a visual memory trail might be created if, for instance, a fold in the bird's feathers in one part of the pictograph is designed to show a pattern reminiscent of the shape of the logograph, and if this single point of resemblance between two otherwise disparate visual shapes is made conspicuous by color-coding or line-coding, thus creating a visual memory trail that allows the learner or user to connect two otherwise disparate images. Similarly a fold in the apron or clothing of the pictograph for "chef" or "waiter" or "mother" might text-morph towards the traditional logograph while the rest of the pictograph fades away. FIGURES 10-12 show that there can also be intermediate images in which both pictograph and traditional logograph are clearly visible. Text may be presented in such a display-option.

15

EXAMPLE 14: A Chinese Syllabary

A further learning method, which would not be practicable in most other languages, is made possible by the phonetic system of Chinese and Japanese. Especially in Chinese, most words or morphemes are monosyllabic. Further, there is a remarkably limited number of syllables in the Mandarin dialect: less than 500 if one ignores the four tones or intonations, and less than 2,000 if one takes note of them. This contrasts with tens of thousands of syllables in most European languages. It also makes possible the use of a syllabary. Since most syllables correspond to several different logographs with different meanings, it is easy to associate each symbol in the syllabary with some object that suggests a pictographic representation. Hence it is possible with modern display-systems to create a pictographic or essentially-pictographic syllabary such that the interpretation of its symbols is almost self-evident and hence readily learned and remembered. The full range of less-than-2000 syllables might be unambiguously indicated by a syllabary containing less than 500 symbols, provided the tones are indicated by diacritical marks or other convenient common visual markers. Such a syllabary provides phonetic information to full-phonemic level. When the learner wishes to transfer from literacy in such an easily-learned system to literacy in the traditional logographs, color-coding and line-

coding can help connect the disparate corresponding word-shapes.

EXAMPLE 15: Improved alphabetic writing-systems and display-options for Chinese and Japanese.

- 5 Chinese schools often use the Pinyin alphabet, written small above the logographs, as the initial learning medium in schools. Similarly the Japanese use the phonetic *hiragana* syllabary as their introductory script for children. Pinyin was intended by the Chinese government to become China's official writing-system; but text in Pinyin is often ambiguous because of the numerous homophonous homonyms in modern
- 10 Mandarin. Pinyin has no way to distinguish these. Yet they require to be represented by different traditional logographs. Hence they form awkward reversion
- homonyms when Pinyin text is to be converted re-converted to logographs.

- Automatic translation from logographs to the phonetic Pinyin script, or to Japanese
- 15 phonetic syllabaries, is not a problem; but automatic computerised translation from Pinyin to conventional Chinese logographs requires more powerful context-sensitive parser programs than are currently available to resolve the problem of numerous homonyms that are also homophones. (However, the US patents, cited above, by Bernath 1992 and Sproat (1993) and Ho (1984) already claim such methods).
- 20 Humans, too, sometimes have trouble sorting out the ambiguities of Pinyin script. Any display[[-]]-option which resolves even some of the ambiguities of an alphabetic writing[[-]]-system for Chinese can make it a much more credible rival to the traditional logographs. Such a method can also greatly improve the speed and certainty of any parser program or algorithm used to resolve the remaining
- 25 ambiguities.

- For instance, a symbol that helps to resolve the ambiguity can be added to most such ambiguous word-shapes. An alternative method is also proposed that requires only alphabetic letters. In this, a particular synonym or "guide-word" is paired with an
- 30 ambiguous word or word[[-]]-element. The guide-word is shown adjacent to it, but in a different color or shading or otherwise distinguished. The guide-word thus serves as a silent guide to meaning but not to pronunciation. The conspicuousness of such annotations may, as in previously described methods, be varied through the user's

own adjustments to the default settings of one or more display-options. A modification to this method is to use only the opening letter or letters of the "guide word" where these are enough to resolve ambiguity.

- 5 A combination of the above two methods is also possible whereby a reduced list of just a few dozen "guide-words" is provided. They are then used not as exact synonyms but as clues to the desired area of meaning. The guide-words themselves may be abbreviated or replaced by symbols or diacritic marks, or by pictographs or logographs, whether new or traditional. What is essential is that they remain reliably
10 associated with the word-shape of each alphabetic homonym that needs to be resolved. They thus create a fixed logograph which permits of rapid reading. The use of such logographs can create a resolved text that permits both of automatic re-conversion and of direct conversion into a range of display-options, including traditional logographs. This method can be extended to Japanese and to other
15 languages with similar homonym problems.

We thus have a writing-system (or display[[-]]-option) for such languages which offers a full phonemic description of the (often ambiguous) spoken language. When used with the restricted vocabulary of small children, it can function much like a
20 conventional alphabetic system. But as vocabulary becomes less restricted and the need to distinguish homophonous homonyms grows, the user may switch to display-options in which the guide-words or their symbols are more heavily used or more conspicuous. Guide-words or their indicators may also of course be added to the symbols of a syllabary, whether it is a traditional syllabary or an invented one like the
25 Chinese syllabary described above. Applied to Japanese, this method may enable the modification of traditional syllabaries or of imported alphabets, to compete more strongly with traditional kanji logographs.

In a variant on the main method, or an addition to it, the text in either the traditional
30 logographs or in the new (partly alphabetic) logographs produced by the above method is stored as a series of numeric or alpha-numeric codes, each piece of code corresponding to a single word or word-element of the text. Converter programs or algorithms can then produce whatever word-shapes are required for a particular

display-option: whether traditional logographs, standard alphabetic word-shapes, pictographs, or semantically enriched alphabetic logographs as just described.

EXAMPLE 16: Two Pictographic Systems

5 The later claims cover two different kinds of largely pictographic writing[[-]]-systems.

| One of them is intended to be international, at some cost in idiomatic quality and range of vocabulary. The other aims to represent most of the words of a given natural language through a combination of pictographs, ideographs and letters.

Modern color display-screens and color printers allow pictographic symbols to be far
10 more visually vivid and recognisable than traditional logographs. Freed of the restriction to a single color of ink, and freed of the need to save the scribe's labor by reducing the clarity and detail of the symbol, one can afford to make symbols so vivid that the reader can recognise their general meaning at a glance. A further advantage is that the resulting writing-system is potentially international, not linked to
15 a given language.

A primarily pictographic writing-system is proposed that provides one symbol per semantic area for each of several hundred semantic areas. Such semantic areas (areas of meaning) should be no larger, on average, than each of the 1000-odd
20 sections in a traditional thesaurus, and may be much smaller. The upper practical limit to the number of pictographs is set by the problems of keeping them sufficiently compact yet sufficiently distinct and memorable. Simple pictographs can be combined, following logical rules, into more complex pictographs or logographs. As well, non-pictographic symbols can be used, much like prefixes or suffixes, for
25 grammatical distinctions or for such semantic concepts as: the opposite, or the absence of a quality, or for "large example of" or "small example of" or "forbidden to". Such an "algebraic multiplication" can turn a set of pictographs into two or three times as many compound logographs.

30 EXAMPLE 17: International Pictographs

When one is converting standard text (of a given natural language) into such a writing[[-]]-system there remains the problem of distinguishing all the closely related words in a given area of meaning. A pictograph or an ideograph may clearly indicate

a watercourse. Yet is the intended word *creek*, or *brook*, or *river* or *stream* or *channel*? Sufficient pictorial detail may provide sufficient semantic precision to give the answer often enough, at least, to satisfy a small child writing (with a restricted vocabulary) to a penfriend or electronic penfriend. If the penfriend speaks a different language the writing-system will have a further advantage in that its symbols may be equally intelligible in both languages.

EXAMPLE 18: Sign Language

Such a writing-system is also at least as precise as most kinds of sign-language (except when they adopt the slow process of spelling out the letters of a word in a given natural language) and might well be combined with sign-language systems. A variant of the same writing-system may also be designed to correspond to the vocabulary of a simplified natural language, such as Basic English. It may also be inter-leaved with an alphabetic display-option for that language.

15

EXAMPLE 19: Pictographs Plus Letters

Yet for an adult writing in a given natural language, and wanting to use the wider resources of that language's vocabulary, there is an alternative way. Letters may be added to pictographs to indicate precisely which common word (out of the range offered by the thesaurus in that given area of meaning) is intended. These letters will commonly be the first or last letters of a given word.

The result is then a set of compound logographs, adequate for the writing of a given natural language. Each logograph typically consists of one easily interpretable pictograph and one or two very simple phonetic elements (letters). Line-coding and/or color-coding may also be used on the letter(s) so that they indicate not merely a letter used in the conventional spelling of that word, but the pronunciation the letter carries. Color may also be used as a structural principle in creating and distinguishing the pictographs. The more sources of visual discrimination that are offered, the more compact the writing-system can be without losing clarity and visual salience.

30

This writing-system is surprisingly practicable even in a language as rich in

vocabulary as English. One reason is that only a few of the many near-synonyms listed in a given section of the thesaurus may require use of the specific pictograph assigned to that area of meaning. For instance of all the words and phrases listed under "devil" in a medium-size English thesaurus, probably only the following would
 5 qualify: "devil", "fiend", "demon", "imp" --and perhaps the proper names "Beelzebub", "Satan", "Lucifer", and "Mephistophilis". By contrast, the pictograph for devil need not be used for such soubriquets as: "the Tempter", "the prince of darkness", "the father of lies", "the evil angel", and "the Anti[[-]]-Christ". Similarly, for the word "angel" the only relevant synonyms requiring its pictograph might be "seraph" and
 10 "cherub", plus "archangel" (represented presumably by the pictograph for "angel" plus a modifying sign used in algebraic fashion for "big"). Rarer words, like the names of less well[[-]]-known angels and devils, might well be represented alphabetically, since most readers will require information on their pronunciation. Finally, even the pictograph for devil might be replaced by a combined symbol for
 15 "bad" + "angel". Many of the rare or technical words are largely international, so their use in alphabetic form need not detract much from the ability of foreigners, or foreign learners of a given language, to read such a writing-system (or signage or display-option) with a fair level of understanding.

20 Such a writing-system forms a possible initial teaching method for small children learning to read in their native language. Later they can transfer their reading skills to standard text. Especially when combined with voice-production by a computer, this writing-system might also allow them to make some rapid progress in a second language, sufficient for instance to write to (electronic?) penfriends of their own age
 25 in it. This writing-system is not, when used purely by itself, suitable for adult learners of foreign languages, since they require more detailed phonetic information, and this is better provided by an alphabetic writing-system or a syllabary. However this writing-system, when it is used as a display[[-]]-option and inter-leaved with an alphabetic display-option, can be ideal both for young native[[-]]-speakers and for
 30 foreign learners.

The great advantage for the language[[-]]-learner is that since the semi-pictographic writing[[-]]-system is semi-intuitive, they will usually be able to grasp the meaning

and syntactic structure, while an inter-leaved alphabetic display-option offers the pronunciation. This can mean throwing away that traditional language-learner's crutch, the "vocabulary" or word-list of supposed synonyms in one's own language, and grappling directly with the foreign language.

5

The same writing-system may also prove a superior method of presenting text even for adult literate native-speakers. They may find such semi[[-]]-pictographic text more scannable and more visually salient than text in purely alphabetic writing-systems.

- 10 Such a semi-pictographic writing-system is not suitable for individual scribes. Hence the formulation of its rules can and should be controlled by the compilers of the relevant programs or algorithms, so as to produce a standardised set of word-shapes. Such a set should be worked out for each closely related group of words in the thesaurus of a given language.

15

EXAMPLE 20: Signage

- A further merit of such a writing-system is that when it is used on signage, or even in printed text, its meaning is partly intelligible to those who do not speak the language used. By contrast, a sign bearing the Modern Greek word EPIKINTHINOS (even if it
20 were written, as here, in the Roman alphabet) would fail to warn non Greek-speakers they were in danger.

EXAMPLE 21: Homonyms and Pictographs

- The creation of homonyms in such a writing-system (for a given natural language)
25 should generally be avoided. Once *bat* (a flying mammal) has been allocated a clear pictograph, a separate pictograph should not be offered for, for instance, *bat* (the sporting implement). Just as it is not necessarily a problem that one pronunciation has several meanings, so it is not a problem if all these meanings are represented by a single spelling or a single logograph. A comprehensive dictionary of a given
30 natural language will show that many or most words have multiple meanings. It is very difficult to distinguish all such meanings in writing. Yet no very clear line can be drawn between homonyms and words of multiple meaning. English-speakers for instance cope well with the multiple ambiguities of words like *bat*, *ball*, *court*, *tender*.

A pictographic or logographic system that provided separate symbols for each of these meanings would be possible, but its list of word-shapes would thereby become much larger and harder to memorise. It would also involve endless fine distinctions. Is *court* as in tennis-court really a different word-element from *court* as in law court -- or in court-room, or in courtly, or in courtship? It may be wise not to meddle.

Where a word has several meanings, it can be advantageous to base its logograph or pictograph on the meaning that is easiest to depict. This principle leads to an important teaching method for Chinese or Japanese, as set out in some of the later claims. However, most or all such ambiguities do need to be resolved for a genuinely international system of pictographs, or for a universal (trans-lingual) semantic code.

EXAMPLE 22: International Resolved Text.

An invented pictographic writing-system offers the opportunity, though (as just stated) not the necessity, to resolve many homonyms and to display many distinctions of meaning that are not made in a given spoken language, nor normally in standard alphabetic text. For instance, the pictographs might clearly distinguish *bat* (a sporting implement) from *bat* (a flying mammal). To convert a text into such a display-option, after resolving all such homonyms and providing different pictographs or logographs for them, would be in effect to translate the text (though with some loss of idiomatic richness and of precise vocabulary) into a universal semantic code from which it could be automatically re-translated into any other language. Word-order and some idiomatic details might need to be adjusted in the interests of international communication.

25

For such an international or semi-international writing-system, resolution of homonyms and multiple meanings would usually be essential. (Exceptions might be words like *democracy* or *nature*, whose multiple meanings or ambiguities may be common to several languages). Skilled human input would, at present ~~at present~~, be needed to check that all relevant distinctions were made. When converting from such a writing-system into the alphabetic standard text of a given language, it is of course essential to mark the reconversion homonyms.

30

EXAMPLE 24: International Writing = International Translation?

When (as above) appropriately fine distinctions of meaning are resolved and stored in an appropriate electronic code, automatic conversion of the text is possible from that code into an international or semi-international set of pictographs/ideographs (as
 5 described above) which are comprehensible by speakers of any language. Once again, some idiomatic subtleties will be lost, and some adjustment of word-order and of grammatical markers may be required.

Automatic conversion is also possible from such an electronic coding system into a
 10 simplified version of a given natural language such as Basic English or Globish or Inglingo, provided an appropriate data-base is provided and also an appropriate
 | parser/arranger program or algorithm for those cases where the conversion to simpler vocabulary requires changes to word[-]-order. (Basic English simplifies vocabulary via a table of synonyms. Globish also regularises spelling. Inglingo also
 15 shortens some words and simplifies some grammatical expressions). Also possible, once the ambiguities of individual words have been resolved in sufficient detail, is automatic translation of text from the electronic coding system into other languages, either directly or via an international semantic code. Such translation (as opposed to conversion) requires not only appropriate data-bases of linguistic information but
 20 also an appropriate (unspecified) context-sensitive and grammar[-]-sensitive translation program. Such a program needs to be capable of resolving any remaining ambiguities caused by the ambiguous interplay of words in natural languages.

Some Useful Applications

- 25 The most-likely short-term application is as a free[-]-standing computer program or as a major additional feature or plug-in for word[-]-processing packages or for text-display programs (including electronic books, whether for adults, children or language-learners, and including the pronouncing guides of computerised dictionaries).
- 30 The various writing-systems proposed above and in the Claims are designed to be suitable for use initially within a series of display-options, but might later find independent use.

Other applications of this invention may include: (1) interactive computer packages for teaching children to read, or for teaching foreign languages, including those written in non-alphabetical systems; and (2) as one element in compound word processing and translating software packages which can understand spoken or written texts in any of several languages and can also translate such text into other languages in their repertoire and can then produce the translated version either as text in that language's conventional writing-system, or as text in a more phonetic or more visually-salient writing-system or display-option, or as spoken language.

10 In the case of the purely alphabetic display-options (covered in the earlier Claims) the procedure and algorithms both for translating conventional text into phonetically-enriched text, and for displaying the added phonetic markers in various gradations of conspicuousness, are relatively simple. Once the idea is clearly stated, and its usefulness realised, it will be obvious that algorithms and computer programs can be written to carry out this work.

The computer-graphic display-converter programs required for text-morphing between alphabetic and non-alphabetic writing-systems are more complex and require more labor. Yet they are clearly within the scope of existing programmers' art once the objective is clearly stated. Like most programs involving computer graphics, these might be carried out in many differing ways, resulting in differing levels of effectiveness and excellence.

Hence it is the general principles of display-options, of phonetic modulation of text and of text-morphing, rather than their embodiment in specific algorithms or computer programs, that are claimed.

Not every possible permutation is spelled out in the above examples or the following Claims, since most of them will soon become obvious to anyone skilled in the art, but enough are stated to make clear the range of possibilities which designers of sets of phonetically-modulated alphabetic display-options or of logographic display-options should consider.

In offering worked examples of phonetic modulation of text I have used specific writing-systems. Yet the methods set out below need not depend (except as specified in individual Claims) upon which types of writing system are offered as display-options. The Claims also set no theoretical limit to the number of display-
5 options that may be offered.

From one perspective, the invention involves bringing together many existing computational processes to produce a kind of macro system for international text processing. The substantially-new concepts and techniques disclosed include:
10 *providing text in multiple user-selected display-options, phonemic modulation of text through a number of display-options, non-homophonous homonym parsers and filters, reconversion homonym resolvers, distribution of enriched and processed text, user-selected pronouncing- and dialect-dictionaries, the use of sets of phonetic letter-variants, automatic conversion between writing systems and display-options,*
15 *cartouches, shaped-cartouches, color-coding and line-coding, alternating display (flickering), inter-leaving, and text-morphing.* The linking of all these powerful processes and their associated data-bases into a single international customised reading and writing system is now practical.

20 The application of these many techniques is too closely linked for them to be patented separately. Yet to set out the ways they can best be combined, without producing chains of multiple[[-]]-dependent claims, requires an unusually large number of claims, albeit with some repetitive elements.

25

Bibliography:

Rondthaler, Edward, and Edward J. Lias, editors. *Dictionary of American spelling : a simplified alternative spelling for the English language : written as it sounds,*
30 *pronounced as it's written*, New York (680 Fifth Ave., New York) : American Language Academy, c. 1986.

Scragg, C.D. *A History of English Spelling*, Manchester Uni. Press, 1974.

Yule, Valerie *Orthographic Factors in Reading: Spelling and Society*, PhD Thesis,

Monash University, 1991.

Gattegno, Caleb *Reading with Words In Colour* publ. by Educational Explorers Ltd,
Reading, UK, 1969, SBN 85225 512 8.

ABSTRACT OF THE DISCLOSURE

A method is proposed, suitable for modern personal computing systems, whereby a text-user can choose the writing-system in which a given text will be displayed and
5 printed. Several writing[[-]]-systems made possible or practicable by the use of a system of display-options are disclosed, plus appropriate teaching and self-teaching methods. Such writing-systems have different uses and advantages, all being in one or more respects superior to standard text. Methods are also disclosed to enable text users to edit text in all or most of these systems, yet thereafter return the text to
10 standard form for printing or for electronic distribution to other persons. Methods are disclosed for comparing and inter-leaving or text-morphing word-shapes in differing writing-systems in ways that facilitate the transfer of reading skills from one writing-system to another. Further methods and systems for converting text from alphabetic to pictographic or logographic writing-systems are disclosed. Also disclosed are
15 teaching and self-teaching methods for literacy and for foreign languages and specifically for Chinese or Japanese logographs, as well as for newly-developed pictographic or logographic systems.